



How to: Installing a TRACK Trail Mini

A Guide for Partners

Materials

Materials


- TRACK Trail Mini High Pressure Laminate Sign
- Black metal frame
- Acrylic brochure holder
- 4 bolts for sign
- 4 bolts with nuts for brochure holder

Tools Needed


- Allen wrench
- Post hole diggers
- Concrete (minimum 1 - 60# bag)
- Water

Instructions:

- Place a piece of foam on the ground as a layer of protectent.
- Lay the TRACK Trail Mini Sign Face down on the foam.
- Place the black metal sign frame on top of the sign, lining up the four holes with the four holes on the sign.
- Using the allen wrench, screw in the four bolts to each of the holes.
- DO NOT drill through the front of the sign, as this will void the warranty.



- Next you will need to use the post hole diggers or an auger to dig a hole at least 24 inches deep. The top of the sign should be between 4 and 4.5 feet.



- Place the signpost in the hole.
- Use a level to ensure that the sign is plumb.
- Add the concrete to the hole with a little water.
- Fill the rest of the hole back with dirt.



- Once the sign is in the ground, gather the brochure holder, bolts, and nuts.
- Place the brochure holder on the front of the sign and push the bolts through the holder and signpost, securing on the back with the nuts.



- Fill your brochure holder with brochures.
- Take a photo and admire your hard work!



If you have any questions or concerns please give the Kids in Parks team a call at (866) 308-2773 or email below:

Jason Urroz, Director: jurroz@kidsinparks.com

Adam Rodes, Associate Director: arodes@kidsinparks.com

Erin Voss, Data Manager: evoss@kidsinparks.com

Meghan McDevitt, Graphic Design and Outreach: mmcdevitt@kidsinparks.com

Teddi Garrick, SC Program Manager: tgarrick@kidsinparks.com